


Three-year warranty cold aisle 2U



Overview

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels.

Key Takeaways

The Vertiv Geist SwitchAir 2U airflow management device comes with a standard three-year warranty, extendable to five years with product registration.

The Vertiv Geist SwitchAir SA1-02003L is a passive 2U airflow management device designed for switches with rear air intake (non-port side). It channels cold aisle air directly to the switch intakes, using the network device's own fans to pull cool air from the front of the cabinet, which helps prevent overheating and reduces the risk of premature equipment failure due to high intake temperatures (Comms Express) . Key Features:

- Cold aisle air channeling: Ensures network switches receive consistent cold air, improving efficiency and reliability (Geist Global) .
- Hot air recirculation prevention: Creates a barrier to stop hot exhaust air from the hot aisle from entering switch intakes, reducing wraparound airflow issues (Comms Express) .
- Adjustable depth: Fits equipment mounted at varying depths, adjustable from 7.63 inches to 11.63 inches (193.8mm to 295.4mm) (Geist Global) .
- Rack compatibility: Designed for standard 2U rack spaces, making it suitable for most network switch installations. Warranty Details:

- Standard coverage: 3 years from the date of purchase (Comms Express) .
- Extended coverage: Up to 5 years if the product is registered with Vertiv, providing additional protection and peace of mind (Comms Express) . This device is ideal for data centers aiming to maintain consistent cold aisle temperatures, improve switch efficiency, and reduce the likelihood of equipment failure due to thermal stress. Proper installation in the cold aisle ensures optimal airflow management and maximizes the benefits of the warranty coverage.

Article Content

Vertiv™ SwitchAir | Data Center Rack Cooling Solutions

Warranty: Vertiv™ SwitchAir models come with a standard three-year warranty that is automatically extended to five years if the

SA2-002, Vertiv Geist SwitchAir

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

Three year warranty, wall mounted type for cold aisle computer room ...

Answers for Three year warranty, wall mounted type for cold aisle computer room crossword clue, 8 letters. Search for crossword

Uzbekistan 3-Year Warranty Cold Aisle 2U

Warranty: This Vertiv™ product is warranted to be free of defects in material and workmanship for a period of (3) Year from

SA2-002, Vertiv Geist SwitchAir | Joe Powell and Associates

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-002, Vertiv Geist SwitchAir | J.S. Fleming Associates, Inc.

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-003, Vertiv Geist SwitchAir | Bud Griffin and Associates

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-002, Vertiv Geist SwitchAir

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-002, Vertiv Geist SwitchAir | Data Center Systems, Inc

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-003, Vertiv Geist SwitchAir | Joe Powell and Associates

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

Computers, Monitors & Technology Solutions | Dell USA

We would like to show you a description here but the site won't allow us.

10 Best Blanking Panels (August 2026) for Server Racks

Blanking panels are flat sheets of metal or plastic that fill empty spaces in server racks, separating hot and cold air

Blanking Panel with Temperature Strip - 2U

Blanking Panel with Temperature Strip - 2U The HotLok ® Blanking Panel is a snap-in blanking panel that

Cold Aisle Containment | UltraRack®

Cold Aisle Containment isolates the cold air, preventing it from mixing with the hot air. To enclose the cold aisle between adjustment

Vertiv™ SwitchAir | Data Center Rack Cooling Solutions

Improves equipment efficiency by providing network equipment with the same cold aisle air temperature as other devices in the rack.

Eaton Tripp Lite series transition | Eaton

Eaton acquired Tripp Lite and the expanded portfolio better fills the needs of distributed IT environments. Featuring single phase

Aisle Containment | Modular Cleanroom & Data Center Containment ...

Innovative Aisle Containment Solutions for Smarter, More Efficient Data Centers
Armstrong aisle containment

CSTORE8-2U-NX

COLDSTORE 2U Pro is a network-attached Sequential Array specially designed for today's video surveillance systems that require

STORAGE, COLDSTORE

8-bay 2U sequential hard disk video storage system

Modular Cold Aisle Containment w/ 45U Server Enclosures and

AZE offers smart modular customizable hot and cold aisle containment solutions with 42U to 52U floor standing server rack

Cold Aisle Containment

Cold Aisle Containment isolates the cold air, preventing it from mixing with the hot air. To enclose the cold aisle between adjustment

Aisle Containment

Aisle Containment Something went wrong. If the problem persists contact the administrator.

SA1-02005 | Vertiv

Reduces the likelihood of premature equipment failure due to high intake temperatures. Improves equipment efficiency by providing

Vertiv SmartAisle Containment

For cold aisle containment for aisle widths: 1200 / 1800 mm (+/- 50 mm) Quick and easy mounting Suitable for Vertiv™ VR,

Commercial Refrigerators & Freezers | True Manufacturing

The Industry's overall strongest and most reliable warranty! Service Bill Free for 7 years! True®

CONTAINMENT SYSTEM

Cold Aisle drop away ceiling panels (clear or opaque) Class A rated, CA State Fire Marshal, UL & FM Global listed and approved Hot

On-Line Double-Conversion UPS System, 208/230V 3000VA 2700W

3kVA 2.7kW on-line double-conversion UPS with extended runtime capability provides reliable 208V power protection and battery

Appliance Protection Plans | Costco

Allstate 3 Years (For Laundry Suites Under \$2000) Your Appliance Suite is Covered for Mechanical & Electrical Failures During

Dell PowerEdge Server Cooling: Choose the Cooling Options That

For data centers that use hot/cold aisle configurations, some PowerEdge servers offer front input/output and power,

Computers, Monitors & Technology Solutions | Dell USA

We would like to show you a description here but the site won't allow us.

10 Best Blanking Panels (August 2026) for Server Racks

Blanking panels are flat sheets of metal or plastic that fill empty spaces in server racks, separating hot and cold air

Blanking Panel with Temperature Strip - 2U

Blanking Panel with Temperature Strip - 2U The HotLok ® Blanking Panel is a snap-in blanking panel that

Cold Aisle Containment | UltraRack®

Cold Aisle Containment isolates the cold air, preventing it from mixing with the hot air. To enclose the cold aisle between adjustment

Vertiv™ SwitchAir | Data Center Rack Cooling Solutions

Improves equipment efficiency by providing network equipment with the same cold aisle air temperature as other devices in the rack.

Eaton Tripp Lite series transition | Eaton

Eaton acquired Tripp Lite and the expanded portfolio better fills the needs of distributed IT environments. Featuring single phase

COLDSTORE 2U 8 NX

The "NX" versions of COLDSTORE have all the features and benefits of standard COLDSTOREs in addition to the embedded Nx

Utilize Containment/Enclosures

The hot aisle/cold aisle layout helps prevent cold “supply” air from mixing with hot exhaust air, resulting in cooling savings from 10 to

2U Flat Spacer Blank

2U Flat Spacer Blanks not only makes racks look neat, clean, and organized, but when installed properly they provide added support

42U Server Rack Enclosure | Cold Aisle Containment | Data Center IT ...

The aisle containment system improves cooling efficiency in hot aisle/cold aisle rack configurations by essentially creating a room

Aisle Containment | Modular Cleanroom & Data Center Containment ...

Innovative Aisle Containment Solutions for Smarter, More Efficient Data Centers
Armstrong aisle containment

CSTORE8-2U-NX

COLDSTORE 2U Pro is a network-attached Sequential Array specially designed for today's video surveillance systems that require

STORAGE, COLDSTORE

8-bay 2U sequential hard disk video storage system

Modular Cold Aisle Containment w/ 45U Server Enclosures and

AZE offers smart modular customizable hot and cold aisle containment solutions with 42U to 52U floor standing server rack

Vertiv™ SwitchAir | Data Center Rack Cooling Solutions

Warranty: Vertiv™ SwitchAir models come with a standard three-year warranty that is automatically extended to five years if the

SA2-002, Vertiv Geist SwitchAir

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

Three year warranty, wall mounted type for cold aisle computer room ...

Answers for Three year warranty, wall mounted type for cold aisle computer room crossword clue, 8 letters. Search for crossword

Uzbekistan 3-Year Warranty Cold Aisle 2U

Warranty: This Vertiv™ product is warranted to be free of defects in material and workmanship for a period of (3) Year from

SA2-002, Vertiv Geist SwitchAir | Joe Powell and Associates

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-002, Vertiv Geist SwitchAir | J.S. Fleming Associates, Inc.

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-003, Vertiv Geist SwitchAir | Bud Griffin and Associates

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-002, Vertiv Geist SwitchAir

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-002, Vertiv Geist SwitchAir | Data Center Systems, Inc

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-003, Vertiv Geist SwitchAir | Joe Powell and Associates

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

Vertiv™ SwitchAir | Data Center Rack Cooling Solutions

Warranty: Vertiv™ SwitchAir models come with a standard three-year warranty that is automatically extended to five years if the

SA2-002, Vertiv Geist SwitchAir

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

Three year warranty, wall mounted type for cold aisle computer room ...

Answers for Three year warranty, wall mounted type for cold aisle computer room crossword clue, 8 letters. Search for crossword

Uzbekistan 3-Year Warranty Cold Aisle 2U

Warranty: This Vertiv™ product is warranted to be free of defects in material and workmanship for a period of (3) Year from

SA2-002, Vertiv Geist SwitchAir | Joe Powell and Associates

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-002, Vertiv Geist SwitchAir | J.S. Fleming Associates, Inc.

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-003, Vertiv Geist SwitchAir | Bud Griffin and Associates

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-002, Vertiv Geist SwitchAir

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-002, Vertiv Geist SwitchAir | Data Center Systems, Inc

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

SA2-003, Vertiv Geist SwitchAir | Joe Powell and Associates

Decreases wraparound hot airflow from the hot aisle to the cold aisle due to missing blanking panels. Standard three-year warranty,

Contact Us

Continue your research online:

Website: <https://danialonso.es>

Technical inquiry: <https://danialonso.es/contact.html>

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

